


1 ROOF PLAN  
SCALE

1/16"= 1'-0"



GENERAL PLAN NOTES:

- G1. INSTALL PROTECTIVE BARRIERS TO DIRECT PUBLIC TRAFFIC AROUND CONSTRUCTION AREA. DO NOT ALLOW GENERAL PUBLIC DIRECT ACCESS INTO CONSTRUCTION AREA.
- G2. COORDINATE CONSTRUCTION STAGING, PARKING AND PERSONNEL WITH SCHOOL ADMINISTRATION.
- G3. MAINTAIN EXIT PATHWAYS AND PROVIDE FOR DAILY FOOT TRAFFIC. BARRICADE AREAS AS REQUIRED TO KEEP POPULATION SAFE.
- G4. MAINTAIN FIRE ALARM AND ELECTRICAL SERVICE WHENEVER DISRUPTION OF SERVICES ARE REQUIRED. GIVE THE PRINCIPAL 48 HOURS NOTICE IF AT ALL POSSIBLE.

ROOF LEGEND

- KYNAR FINISHED STANDING SEAM METAL ROOF ON STRUCTURAL FRAMING. REFER TO ROOF DEMO PLAN FOR ORIGINAL BUILDING DECK TYPE.
- PVC MEMBRANE ON 1/4" DENSDECK OVER TAPERED INSULATION. TAPER AT 1/8" PER FOOT AND 2 LAYERS OF 3" ISO BOARD INSULATION OVER EXISTING LIGHT WEIGHT CONCRETE AND METAL DECK.
- FAN
- GF
- BF
- KH
- PV
- EXISTING INTAKE OR EXHAUST FAN. EXTEND PAST NEW ROOF. INSTALL ON NEW CURB FLASHING. REFER TO MECHANICAL AND 6/A402.
- EXISTING GAS FIRED APPLIANCE FLUE STACK : REPLACE WITH NEW GALV. STACK TO A MIN. OF 24" HIGH ABOVE NEW ROOF. REFER TO DETAIL 9/A402.
- EXISTING BOILER FLUE: REMOVE EXISTING STEEL FLUE CAP AND CARRIAGE. CLEAN OFF SQUARE CURB PENETRATION. PREP. FOR NEW INSULATED FLASHING BASE AND FLUE. EXTEND TO A MIN. 24" ABOVE NEW ROOF. REFER TO DETAIL 9/A402.
- EXISTING KITCHEN HOOD VENT FAN EXTEND UP PAST NEW ROOF. INSTALL ON NEW FLASHING AND CURB. REFER TO MECHANICAL AND DETAILS 6/A402 AND 11/A402.
- TYPICAL ROUND PENETRATION (VTR: Vent Thru Roof) AT METAL STANDING SEAM ROOF. EXTEND EXISTING VENT PIPE UP PAST NEW ROOF SURFACE. USE MANUFACTURED APPROVED AND WARRANTY ROUND PENETRATION BOOTS. REFER TO DETAIL 8/A402 AT METAL ROOF AND DETAIL 12/A402 AT PVC MEMBRANE ROOF.
- EXISTING ROOF CURB MOUNTED HVAC UNIT. EXTEND DUCT WORK PER MECHANICAL. REINSTALL ON NEW CURB AND NEW MECHANICAL PLATFORM.
- EXISTING ROOF CURB MOUNTED HVAC UNIT. EXTEND DUCT WORK PER MECHANICAL. ROTATE 90° AND REINSTALL ON NEW STRUCTURE, PLATFORM AND CURB.
- NEW KYNAR FINISHED GUTTER AND DOWNSPOUTS AS SCHEDULED. REFER TO 7/A402.
- NEW KYNAR FINISHED GUTTER AND DOWNSPOUTS WITH SPLASH PADS AT FLAT ROOF. REFER TO 7/A402 AND CIVIL.
- ROOF SLOPE DIRECTION.

ROOF EQUIPMENT ABBREVIATIONS

- GF = HOT GAS FLUE STACK
- PV = CAST IRON PLUMBING VENT WITH COVER
- FAN = MOTORIZED FAN
- RD = ROOF DRAIN
- KH = KITCHEN HOOD EXHAUST VENT

DEMO NOTES:

- 1 KYNAR FINISHED SCULPTED GUTTERS AND DOWNSPOUTS. REFER TO EXTERIOR ELEVATIONS, DETAIL 1/A402, AND DETAIL 7/A402.
- 2 KYNAR FINISHED SCULPTED RAKE. REFER TO 2/A402.
- 3 EXISTING WALKWAY COVER TO REMAIN.
- 4 NEW PRE-FINISHED DOWNSPOUTS, RUN ALONG TOP OF WALKWAY COVER AND STRAP TO WALKWAY COVER COLUMN. REFER TO EXTERIOR ELEVATIONS.
- 5 NEW KYNAR FINISHED BOX GUTTER AS SPECIFIED. REFER TO 9/A402.
- 6 SPLASH PADS ON WELDED WALKOFF PVC MEMBRANE. REFER TO CIVIL.
- 7 KYNAR FINISHED NON-VENTED RIDGE VENT. REFER TO 3/A402.

IMPROVEMENTS TO  
J.I. BARRON ELEMENTARY SCHOOL  
PINEVILLE, LA

RPSB# 52-26-01

Pineville, Louisiana

YEAGER, WATSON & ASSOCIATES, LLC  
ARCHITECTS

148 SOUTH CREATION STREET  
RUSTON, LOUISIANA 71270  
TELEPHONE (337) 265-5789  
FACSIMILE (337) 265-5722



ROOF PLAN

REVISIONS:

DATE:  
SEPTEMBER 2025

JOB NUMBER:  
2025-02

A211

7  
OF  
10A