


- NOTES:
1. THE WALKING TRACK SHALL BE SET FLUSH WITH FINISHED GRADE (WITH THE EXCEPTION OF TIE-IN TO OTHER CONCRETE OR PAVING WHICH SHALL BE FLUSH) SO AS NOT TO IMPEDE DRAINAGE AND SHALL BE SLOPED 1/4 INCH PER FT IN DIRECTION OF DRAINAGE.
  2. THE WALKING TRACK SHALL BE FOUR FEET WIDE AND LAID OUT ONE FOOT INSIDE THE FENCED AREA. AT ALL 90 DEGREE TURNS THE INNER RADIUS SHALL BE 5.0 FT AND THE OUTER RADIUS SHALL BE 9.0 FT.
  3. WALKING TRACK SECTION AND CONTROL JOINTS SHALL BE AS PER SHEET C-110. MAXIMUM SPACING FOR JOINT SJ SHALL BE 5 FT AND MAX. SPACING FOR EXPANSION JOINTS SHALL BE 50 FT. PROVIDE EXPANSION JOINT AT ALL LOCATIONS WHERE WALKING TRACK MEETS EXISTING CONCRETE.



**PROPOSED WALKING TRACK LAYOUT**  
SCALE: 1" = 20'

**PHASE 2 - RENOVATIONS TO**  
**CARTER C. RAYMOND**  
JUNIOR HIGH SCHOOL  
2510 SAINT CHARLES AVE, LECOMPTE, LA 71346

PROJECT NO: SCF  
DRAWN: SCF  
CHECKED: SCF  
DATE: 08.15.25  
LAST REV: 08.15.25

**C-104**  
© 2024, Alliance Design Group, LLC. All rights reserved.

**Fontenot & Associates, LLC**  
2025 Jackson Street  
Alexandria, LA 71301  
Office: 318.427.7808  
CONSULTANT (IF APPLICABLE)

**Fontenot & Associates, LLC**  
1439 Centre Ct., Ste 401  
Alexandria, LA 71301  
Ph: 318.445.3151  
Fx: 318.445.3988  
Em: adg@adgllc.net

**Alliance**  
DESIGN GROUP, LLC

STEVEN C. FONTENOT  
REG. NO. 33924  
REGISTERED PROFESSIONAL ENGINEER  
CIVIL ENGINEERING