


5.07	STRUCTURAL STEEL FRAMING
5.1	3/8" METAL STUD FRAMING
5.26	HANDRAILS AND GUARDS TO RESIST A UNIFORM LOAD OF 50 LBS PER LINEAR FOOT AND CONCENTRATED LOAD OF 200 LBS IN ACCORDANCE WITH SECTION 4.5.1 OF ASCE 7, RISE, PAINTED
5.37	1/2" X 2 1/2" COLD-ROLLED PLATE STEEL WELDED TO RODS AT TOP AND BOTTOM OF GAS, PAINTED
5.38	3/4" DIA. COLD-ROLLED RODS, 4 1/2" O.C., PAINTED
5.39	CONT. 1" X 1/2" COLD-ROLLED STEEL TUBE WELDED TO RODS, PAINTED
5.40	2" X 6" COLD-STEEL TUBE WELDED TO POUR STOP, PAINTED
5.41	1 1/2" X 1/2" X 1/4" COLD-ROLLED CLIP ANGLE, 2" WIDE, 27" O.C., WELDED TO STEEL TUBE, PAINTED
5.42	ALUMINUM F-TRIM REVEAL
5.43	1/4" COLD-ROLLED STEEL PLATE, 2" WIDE, 27" O.C., PAINTED
5.44	BRACKET CONNECTION TO STEEL BEAM BY HANDRAIL SUPPLIER
7.06	PIPE INSULATION, SIZED TO MATCH STUD DEPTH
7.27	SEALANT
7.28	MINERAL WOOL INSULATION
7.08	OVERHEAD SPRINKLING SMOKE CURTAIN
8.05	PLEATED SMOKE CURTAIN
8.11	FOLDING PARTITION WALL
9.01	5/8" GYPSUM BOARD, SEE FINISH PLAN FOR FINISH AND SCHEDULE FOR TYPE
9.05	ACOUSTICAL CEILING TILE SYSTEM; SEE RCP AND FINISH SCHEDULE FOR TYPE
9.1	1" SHAFT LINER
9.12	9 1/2" RESILIENT CHANNELS
9.13	SCRIBE TO FLUTED CONTOUR OF DECK
9.14	SUSPENDED WOOD CEILING SYSTEM
9.15	TERRAZZO FLOORING
9.16	2-SIDED PERIMETER POCKET
9.17	CEILING PERIMETER FACE PLATE 7"
9.18	3-SIDED PERIMETER POCKET
9.19	PROVIDE SMOKE-RESISTIVE ENCLOSURE AT HEAD OF SMOKE CURTAIN PER MFR. RECOMMENDATION
11.01	KITCHEN VENT HOOD, SEE MECH
12.02	KITCHEN SHADE

**CONSULTANTS**  
Monceaux-Buller & Associates, LLC  
CIVIL  
CARBO Landscape Architecture, LLC  
Landscape  
Fox-Nesbit Engineering, LLC  
Structural  
Salas O'Brien  
Mechanical, Plumbing, Acoustic  
Associated Design Group, Inc.  
Electrical  
Gensler  
Socially Architecture

PROJECT # 19-602-23-01  
ARCH PROJECT # 2023.28 / 1531.00-23  
SITE ID: NEW SITE CODE: 6-40-023  
DATE OCTOBER 10, 2025

Ashe Broussard Weinzette Architects, LLP  
Tipton Associates APAC, A Joint Venture  
301 Jackson Street, Suite 205  
Alexandria, LA 71301

STATE OF LOUISIANA  
 PROFESSIONAL ENGINEER  
 NO. 100,000  
 REGISTERED ARCHITECT



## A541